What is claimed is:

- A container to store articles, comprising:

 a body defining a first opening; and
 a cover coupled to the body to close the first opening of the body;
 wherein: the cover has a surface defining at least one second opening; and the cover comprises at least one lid coupled to the cover to selectively

 open and close the second opening.
- 2. The container of claim 1, wherein the cover defines a cavity and the second opening and the lid are located in the cavity, the container further comprising:

 a second cover adapted to fit into the cavity in the cover.
- 3. The container of claim 2, wherein the second cover completely covers the cavity.
- 4. The container of claim 2, wherein the second cover completely covers the second opening and the lid.
- 5. The container of claim 1, wherein the cover further comprises an outer rim and a tear strip at the bottom of the outer rim for releasing the cover from the body.
- 6. The container of claim 1, wherein the second opening is adapted to receive a human hand when the lid is opened.
- 7. The container of claim 1, wherein the lid has a shape chosen from the group consisting of a rectangle, a triangle, a circle, and a semicircle.
- 8. The container of claim 1, wherein the lid further comprises a snapper to engage a portion of the cover defining the second opening to secure the lid in a closed position.
 - 9. The container of claim 1, wherein the cover is removable from the body.

- 10. The container of claim 1, wherein the lid and the second opening are fully within the cover.
- 11. The container of claim 1, wherein the lid is coupled to the cover via a pivotable connection.
- 12. The container of claim 11, wherein the pivotable connection comprises a hinge.
- 13. A cover for a container, the cover comprising:

 a surface defining a cavity and at least one opening in the cavity;

 at least one lid coupled to the surface to selectively open and close the opening; and

the cover further comprises a second cover adapted to fit into the cavity in the cover.

- 14. The cover of claim 13, wherein the cavity is defined by the surface defining the at least one opening.
- 15. The container of claim 13, wherein the second cover completely covers the cavity.
- 16. The container of claim 13, wherein the second cover completely covers the opening and the lid.
- 17. The container of claim 13, wherein the cover further comprises:

 an outer rim and a tear strip at the bottom of the outer rim for releasing the cover from the body.
 - 18. The container of claim 13, wherein:
 the opening is adapted to receive a human hand when the lid is opened.

- 19. The container of claim 13, wherein the lid has a shape chosen from the group consisting of a rectangle, a triangle, a circle, and a semicircle.
- 20. The container of claim 13, wherein the lid further comprises a snapper to engage a portion of the cover defining the opening to secure the lid in a closed position.
- 21. The container of claim 13, wherein the lid and the opening are fully within the cover.
- 22. The container of claim 13, wherein the lid is coupled to the cover via a pivotable connection.
- 23. The container of claim 22, wherein the pivotable connection comprises a hinge.
 - 24. A container storing articles, comprising:
 - a body defining a first opening; and
 - a cover coupled to the body to close the body;

wherein:

the cover comprises a surface having at least one opening and at least one lid coupled to the cover to selectively open and close the opening;

wherein:

the cover defines a cavity, and

the container further comprises a second cover adapted to fit into the cavity in the cover, wherein the opening and the lid are located in the cavity; and

a plurality of articles within the body.

25. The container of claim 24, wherein the fasteners are chosen from a group consisting of nuts, screws, nails, and bolts.

26. A cover for a container, the cover comprising:

a surface having at least one opening;

the cover defining a cavity, the opening being located in the cavity; and

the cover further comprising:

a member adapted to fit into the cavity to cover at least a portion of the

cavity.